

References

- American Speech-Language-Hearing Association. (2004). Evidence-based practice in communication disorders: An introduction [technical report].
- Academy of Neurologic Communication Disorders and Sciences. Aphasia treatment website. Retrieved January 27, 2009 from <http://www.u.arizona.edu/~pelagie/ancds/index.html>
- Boyle, M. (2004). Semantic feature analysis treatment for anomia in two fluent aphasia syndromes. *American Journal of Speech-Language Pathology, 13*, 236-249.
- Boyle, M. & Coelho, C.A. (1995). Application of semantic feature analysis as a treatment for aphasic dysnomia. *American Journal of Speech-Language Pathology, 4*(4), 94-98.
- Collins, A., & Loftus, E. (1975). A spreading-activation theory of semantic processing. *Psychological Review, 82*(6), 407-428.
- Crosson, B., Fabrizio, K., Singletary, F., Cato, M., Wierenga, C., Parkinson, R., et al. (2007). Treatment of naming in nonfluent aphasia through manipulation of intention and attention: A phase 1 comparison of two novel treatments. *Journal of International Neuropsychological Society, 13*, 582-594.
- Crosson, B. (2000). Systems that support language: Attention. In S. Nadeau, L. Gonzalez Rothi & B. Crosson (Eds.), *Aphasia and language: Theory to practice* (pp. 372-398). New York: The Guilford Press.
- Davis, C., & Harrington, G. (2008). Intensive semantic intervention in fluent aphasia: A pilot study with fMRI. *Aphasiology, 20*(1), 59-83.
- Drew, R., Thompson, C., & Abaza, M. (1999). Model-based semantic treatment for naming deficits in aphasia. *Journal of Speech, Language, and Hearing Research, 42*, 972-989.
- Haarbauer-Krupa, J., Moser, L., Smith, G., Sullivan, D. M., & Szekeres, S. F. (1985). Cognitive rehabilitation therapy: Middle stages of recovery. In M. Ylvisaker (Ed.), *Head Injury rehabilitation: Children and adolescents* (pp. 287-310). San Diego: College-Hill Press.
- Hickin, J., Best, W., Herbert, R., Howard, D., & Osbourne, F. (2002). Phonological therapy for word-finding difficulties: A re-evaluation. *Aphasiology, 16*(10/11), 981-999
- Hillis, A., & Newhart, M. Cognitive neuropsychological approaches to treatment of language disorders: Introduction. *Traditional approaches to language intervention* (pp. 595-605)

Howard, D., Patterson, K., Franklin, S., Orchard-Lisle, V., Morton, J. (1985). Treatment of word retrieval deficits in aphasia: A comparison of two therapy methods. *Brain*, *108* (4), 817-29.

Kay, J., Lesser, R., & Coltheart, M. (1996). Psycholinguistic assessments of language processing in aphasia (PALPA): An introduction. *Aphasiology*, *10*(2), 159-215.

Kendall, D.L., Rosenbek, J.C., Heilman, K.M., Conway, T., Klenberg, K., Gonzales Rothi, L.J., & Nadeau, S.E. (2008). Phoneme-based rehabilitation of anomia in aphasia. *Brain & Language*, *105*, 1-17.

Kent, R. (2000). Research on speech motor control and its disorders: A review and prospective. *Journal of Communication Disorders*, *33*, 391-428.

Kiran, S., & Thompson, C. (2003). The role of semantic complexity in treatment of naming deficits: Training semantic categories in fluent aphasia by controlling exemplar typicality. *Journal of Speech, Language, and Hearing Research*, *46*, 773-787.

Peach, R. K. (1996). Treatment for aphasic phonological output planning deficits. *Clinical Aphasiology*, *24*, 109-120.

Peach, R. K. & Reuter, K. A. (2008). Semantic feature analysis treatment for word retrieval errors in aphasic discourse. Manuscript submitted for publication.

Raymer, A., & Ellsworth, T. (2002). Response to contrasting verb retrieval treatments: A case study. *Aphasiology*, *16*(10/11), 1031-1045

Raymer, A., & Gonzalez Rothi, L. (2008). Impairments of word comprehension and production. In R. Chapey (Ed.), *Language intervention strategies in aphasia and related neurogenic communication disorders* (5th ed., pp. 607-631). Philadelphia: Wolters Kluwer; Lippincott Williams & Wilkins.

Visch-Brink, E. G., Bajema, I., & Van De Sandt- Koenderman, M. (1997). Lexical semantic therapy: BOX. *Aphasiology*, *11*(11), 1057-1115.

Wambaugh, J. (2003). A comparison of the relative effects of phonologic and semantic cueing treatments. *Aphasiology*, *17*(5), 433-441.

Wambaugh, J., Cameron, R., Kalinyak-Fliszar, M., Nessler, C., & Wright, S. (2004). Retrieval of action names in aphasia: Effects of two cueing treatments. *Aphasiology*, *18*(11), 979-1004.

Wambaugh, J., & Ferguson, M. (2007). Application of semantic feature analysis to retrieval of action names in aphasia. *Journal of Rehabilitation Research and Development*, *44*, 381-394.

Wambaugh, J., Linebaugh, C. W., Doyle, P., Martinez, A., Kalinyak-Fliszar, M., & Spencer, K. (2001). Effects of two cueing treatments on lexical retrieval in aphasic speakers with different levels of deficit. *Aphasiology*, *15*(10/11), 933-950.

Wilshire, C. E., & Coslett, H. B. (2000). Disorders of word retrieval in aphasia: Theories and potential applications. In S. Nadeau, L. Gonzalez Rothi & B. Crosson (Eds.), *Aphasia and language: Theory to practice* (pp. 82-107). New York: The Guilford Press.